

MADE IN ITALY. MADE TO EXCEL.

MARVEL

ONYX

Interactive version

MARBLE LOOK

PORCELAIN TILES
GRES PORCELLANATO
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.


atlasconcorde.com



MARVEL
ONYX

Index

- ↔ Inspiration
- ↔ Image Gallery
- ↔ Surface Range & Technical Specification



Inspired by lightness

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



The modern soul of onyx.






Unique brightness.



The excellence of Marvel style.





INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





Elegance goes premium.



Image Gallery

↔ Penthouse
White | Noir



↔ Concept Store
Pearl | Noir



↔ Flagship Store
Pearl | Noir | Sky



↔ Hotel
Alabaster | Noir | Quartz



↔ Hotel Bathroom
Noir | White



↔ Bathroom
Alabaster





FLOOR
Marvel Onyx White
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx White
Polished
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Onyx White
Polished
162x324 cm | 63³/₄"x127¹/₂"

HARMONIOUS DETAILS



FOR A DELICATE ELEGANCE

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx White
Polished
120x240 cm | 47 1/4" x 94 1/2"

WALL
Marvel Onyx White
Polished
120x278 cm | 47 1/4" x 109 1/2"

COUNTERTOP
Marvel Onyx Noir
Polished
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx White
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx White
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Onyx White
Polished
162x324 cm | 63³/₄"x127¹/₂"



FLOOR	WALL	COUNTERTOP
Marvel Onyx	Marvel Onyx	Atlas Plan
White	White	Onyx White
Polished	Polished	Polished
120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "



INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



White
Polished

ENJOY THE
VIDEO





FLOOR
Marvel Onyx Pearl
Polished
120x278 cm | 47¹/₄"x109¹/₂"

WALL
Marvel Onyx Pearl
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17³/₄"

PRECIOUS DESIGN



FOR A DEEPER LIVING DIMENSION

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx Pearl
Polished
120x278 cm | 47¹/₄"x109¹/₂"

WALL
Marvel Onyx Pearl
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Black Lava
Leathered
ø 45 cm | 17³/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
**Marvel Onyx
Pearl**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

WALL
**Marvel Onyx
Pearl**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

**Marvel Onyx
Noir**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
**Atlas Concorde Habitat
Black Lava**
Leathered
ø 45 cm | 17³/₄"



FLOOR
Marvel Onyx Pearl
Polished
120x278 cm | 47 1/4"x109 1/2"

WALL
Marvel Onyx Pearl
Polished
120x278 cm | 47 1/4"x109 1/2"

Marvel Onyx Noir
Polished
120x278 cm | 47 1/4"x109 1/2"



FLOOR
**Marvel Onyx
Pearl**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

WALL
**Marvel Onyx
Pearl**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
**Atlas Concorde Habitat
Black Lava**
Leathered
ø 45 cm | 17³/₄"



FLOOR
Marvel Onyx Pearl
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Pearl
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Sky
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DESK
Atlas Plan
Onyx White
Polished
162x324 cm | 63³/₄"x127¹/₂"

FLOOR
Marvel Onyx Pearl
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Pearl
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Sky
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DESK
Atlas Plan
Onyx White
Polished
162x324 cm | 63³/₄"x127¹/₂"



A BREATH OF BEAUTY



GLIMPSE OF UNIQUE REFINEMENT



INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE

FLAGSHIP STORE

HOTEL
HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx Pearl
Polished
120x240 cm | 47 1/4" x 94 1/2"

WALL
Marvel Onyx Sky
Polished
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE

FLAGSHIP STORE

HOTEL
HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



DEPTH OF SHADES



ENRICHED BY BRIGHTNESS





INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE

FLAGSHIP STORE

HOTEL
HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



FLOOR
Marvel Onyx Alabaster
Polished
120x240 cm | 47¹/₄"x94¹/₂"

Marvel Onyx Noir
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Alabaster
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DESK
Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

NATURAL SENSATIONS



SHAPING MEMORABLE MOMENTS

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx Alabaster
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Alabaster
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Brooklyn 75**
Atlas Concorde Habitat
Boost Tarmac
Hammered
240x100 cm | 94¹/₂"x39³/₈"

BAR COUNTER
Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM


BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
**Marvel Onyx
Alabaster**
Polished
120x240 cm | 47¹/₄"x94¹/₂"

**Marvel Onyx
Noir**
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
**Marvel Onyx
Noir**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Brooklyn 75**
Atlas Concorde Habitat
Boost Tarmac
Hammered
240x100 cm | 94¹/₂"x39³/₈"



FLOOR
Marvel Onyx Alabaster
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Brooklyn 75**
Atlas Concorde Habitat
Boost Tarmac
Hammered
240x100 cm | 94¹/₂"x39³/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE

HOTEL

HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx Noir
Polished
120x240 cm | 47 1/4" x 94 1/2"

WALL
Marvel Onyx Quartz
Polished
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE

HOTEL

HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



ENCHANTING NUANCES



SPARKLE OF ESSENTIAL BEAUTY

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE

HOTEL

HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
**Marvel Onyx
Noir**
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
**Marvel Onyx
Quartz**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

**Marvel Onyx
Noir**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SINK | Twin wall-mounted
**Atlas Concorde Habitat
Marvel Onyx Quartz**
Polished
278x50x15 cm | 109¹/₂"x19³/₈"x5¹/₈"



INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE

HOTEL

HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx Noir
Polished
120x240 cm | 47¹/₄"x94¹/₂"

Entice Browned Oak Natural
Grip
20x120 cm | 7⁷/₈"x47¹/₂"

WALL
Marvel Onyx White
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Onyx White
Polished
ø 45 cm | 17³/₄"

SINK | Sit on basin
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
65x50x15 cm | 25⁵/₈"x19⁵/₈"x5¹/₈"

TOP
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x50x15 cm | 74¹/₄"x19⁵/₈"x5¹/₈"

SHELF
Atlas Concorde Habitat
Marvel Onyx White
Polished
190x35x5 cm | 74³/₄"x13³/₄"x2

A TALE MADE BY LIGHTNESS



ECHO OF TIMELESS EMOTIONS

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR

Marvel Onyx Noir
Polished
120x240 cm | 47¹/₄"x94¹/₂"

Entice Brownd
Oak Natural
Grip
20x120 cm | 7⁷/₈"x47¹/₄"

WALL

Marvel Onyx White
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Onyx White
Polished
ø 45 cm | 17³/₄"

SINK | **Sit on basin**
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
65x50x15 cm | 25⁵/₈"x19⁵/₈"x5⁷/₈"

TOP

Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x50x15 cm | 74³/₄"x19⁵/₈"x5⁷/₈"

SHELF

Atlas Concorde Habitat
Marvel Onyx White
Polished
190x35x5 cm | 74³/₄"x13³/₄"x2



INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE
HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



FLOOR
Marvel Onyx Alabaster
Polished
120x120 cm | 47¹/₄"x47¹/₄"

Entice Ash Oak Natural
Grip
20x120 cm | 7⁷/₈"x47¹/₄"

WALL
Marvel Onyx Alabaster
Polished
60x120 cm | 23⁵/₈"x47¹/₄"

Marvel Onyx Alabaster
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Marvel Gala Desert Soul
Polished
ø 45 cm | 17³/₄"

MASTERTOP
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x50x15 cm | 74³/₄"x19⁵/₈"x5⁷/₈"

SHELF
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x35x5 cm | 74³/₄"x13³/₄"x2

LUMINOUS SHADES



EMBRACE THE LIGHT



INSPIRATION

>

IMAGE
GALLERY

>

PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE
HOTEL
HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.

>

ENJOY THE
VIDEO

▶



FLOOR
**Marvel Onyx
Alabaster**
Polished
120x120 cm | 47¹/₄"x47¹/₄"

Entice Ash
Oak Natural
Grip
20x120 cm | 8"x47¹/₄"

WALL
**Marvel Onyx
Alabaster**
Polished
60x120 cm | 24"x47¹/₄"

**Marvel Onyx
Alabaster**
Polished
120x278 cm | 47¹/₄"x109¹/₂"

MASTERTOP
**Atlas Concorde Habitat
Marvel Onyx Noir**
Polished
190x50x15 cm | 74³/₄"x19⁵/₈"x5⁷/₈"

SHELF
**Atlas Concorde Habitat
Marvel Onyx Noir**
Polished
190x35x5 cm | 74³/₄"x13³/₄"x2



Alabaster
Polished

INDEX



INSPIRATION



IMAGE
GALLERY



- PENTHOUSE
- CONCEPT STORE
- FLAGSHIP STORE
- HOTEL
- HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.




ENJOY THE
VIDEO



Surface Range & Technical Specifications

- ↔ PORCELAIN TILES: A SAFE CHOICE
- ↔ MARVEL ONYX RANGE
- ↔ MARVEL WORLD
- ↔ TECHNICAL SPECIFICATIONS





Porcelain tiles: a safe choice.

RECYCLABLE
Riciclabile

VERSATILE
Versatile

HYGIENIC
Igienico

FIREPROOF
Resistente al fuoco

SAFE
Sicuro

**EASY TO CLEAN
AND DISINFECT**
Facile da pulire e sanificare

ECO-FRIENDLY
Rispetta l'ambiente

RESISTANT
Resistente

LONG LASTING
Dura a lungo

ZERO PVC
Zero PVC

INDEX



INSPIRATION



IMAGE
GALLERY



**SURFACE
RANGE &
TECHNICAL
SPECS.**



SAFE CHOICE

COLLECTION RANGE

MARVEL WORLD

TECHNICAL SPECIFICATIONS
& CERTIFICATIONS

ENJOY THE
VIDEO



Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		White	Pearl	Alabaster	Noir	Sky	Quartz
 Floor & Wall  Furniture							
160x320* cm - 63 ³ / ₄ "x126"	± 6 mm	Polished ■					
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished	Polished	Polished	Polished	Polished	Polished
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished	Polished	Polished	Polished		
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished	Polished	Polished	Polished		
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 6 mm	Polished					
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished	Polished	Polished	Polished		
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished	Polished	Polished	Polished		
 Countertops  Furniture							
162x324* cm - 63 ³ / ₄ "x127 ¹ / ₂ " > Non rectified - non rettificato	± 12 mm	Polished ■ Silk ■					
*Atlas Plan							
■ Also available in bookmatch							

The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

Destination of use	Color-shading
 Polished ± 6/9 mm  Moderate Variation	 Moderate Variation All colors



Porcelain tiles 120x278 cm



Marvel Onyx White ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4"x109 1/2"



Marvel Onyx Alabaster ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4"x109 1/2"



Marvel Onyx Pearl ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4"x109 1/2"



Marvel Onyx Noir ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4"x109 1/2"



Marvel Onyx Sky ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4"x109 1/2"



Marvel Onyx Quartz ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4"x109 1/2"



⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

⁽²⁾ Minor misalignments in the continuity of the veins between different graphics is normal for this type of product. - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité des veines entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Äderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS.



SAFE CHOICE

COLLECTION RANGE

MARVEL WORLD

TECHNICAL SPECIFICATIONS
& CERTIFICATIONS

ENJOY THE
VIDEO



White

RANGE SUMMARY ⁽¹⁾ ⁽⁵⁾



Floor & Wall



Furniture

160x320 cm 63"x126"	± 6 mm			Polished Matte	Polished					Polished ⁽⁴⁾	Polished * ⁽³⁾ ⁽⁴⁾ Matte ⁽⁴⁾			
120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm		Polished Matte	Polished * ⁽²⁾ ⁽⁴⁾ Matte	Polished Matte	Polished ⁽²⁾	Polished ⁽²⁾ Silk		Polished ⁽⁴⁾ ⁽²⁾ Silk ⁽⁴⁾	Polished * ⁽⁴⁾ ⁽²⁾ Silk ⁽⁴⁾	Polished ⁽⁴⁾ ⁽²⁾		Polished ⁽⁴⁾ ⁽²⁾	
120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm		Polished	Polished	Polished	Polished	Polished		Polished	Polished	Polished		Polished	
160x160 cm 63"x63"	± 6 mm			Polished Matte	Polished					Polished				
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm		Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Silk		Polished Silk	Polished Matte ^(S)	Polished Velvet		Polished Velvet	
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 6 mm										Polished		Polished	
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm		Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Velvet Matte ^(S)	Matte ^(S)	Polished Velvet Matte	Matte ^(S)
75x150 cm 29 ¹ / ₂ "x59"	± 9 mm		Polished	Polished Matte ^(S)	Polished	Polished Silk	Polished Silk		Polished Silk	Polished Silk	Polished		Polished	
75x75 cm 29 ¹ / ₂ "x29 ¹ / ₂ "	± 9 mm	Polished Matte ^(S)	Polished	Polished Matte ^(S)	Polished	Polished Silk	Polished Silk		Polished Silk	Polished Silk	Polished		Polished	
60x60 cm 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Silk Matte ^(S)	Polished Matte ^(S)		Polished Matte ^(S)	Polished Silk Matte ^(S)	Polished Matte		Polished Matte	
30x60 cm 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Silk	Polished Matte ^(S)		Polished Matte ^(S)	Silk	Polished Matte		Polished Matte	



Outdoor

60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm												
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm							Outdoor ^(S)				Outdoor ^(S)	Outdoor ^(S)



Wall

50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm		Shiny	Shiny	Shiny	Silk				Silk			
40x80 cm 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm		Shiny	Shiny	Shiny	Shiny				Shiny			
30,5x91,5 cm 12"x36"	± 8,5 mm	Shiny		Shiny									
30,5x56 cm 12"x22"	± 8,5 mm	Shiny		Shiny									
8x31,5 cm 3 ¹ / ₈ "x12 ¹ / ₂ "	± 8,5 mm		Shiny	Shiny									



Countertops



Furniture

162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ " > Non rectified	± 6 mm			Polished * Silk *									
	± 12 mm			Polished * Silk *	Polished	Silk	Polished * Silk *			Silk *	Polished * Silk *		
160x320 cm 63"x126" > Non rectified													
159x324 cm 62 ⁵ / ₈ "x127 ¹ / ₂ " > Non rectified	± 20 mm			Polished Matte * ■ Matte * ■	Polished								



White

RANGE SUMMARY ⁽¹⁾ ⁽⁵⁾



Floor & Wall



Furniture

160x320 cm 63"x126"	± 6 mm		Polished				Polished		Polished *			
120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished ⁽⁴⁾ ⁽²⁾	Polished * ⁽⁴⁾ ⁽²⁾ Silk ⁽⁴⁾	Polished	Polished ⁽²⁾ Silk	Polished ⁽²⁾	Polished Matte	Polished Matte	Polished ⁽²⁾	Matte		
120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Polished	Matte ^(S)		
160x160 cm 63"x63"	± 6 mm		Polished				Polished					
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished Matte ^(S)	Polished Matte ^(S)	Polished	Polished Silk	Polished	Polished Matte ^(S)	Polished Matte ^(S)	Polished		Matte ^(S)	
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 6 mm											
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished Matte ^(S)	Polished Matte ^(S)		Polished Matte ^(S)	Polished	Polished Matte ^(S)	Polished Matte ^(S)	Polished	Matte ^(S)	Matte ^(S)	
75x150 cm 29 ¹ / ₂ "x59"	± 9 mm	Polished * Silk	Polished * Silk	Polished	Polished Silk		Polished	Polished Matte ^(S)				Polished
75x75 cm 29 ¹ / ₂ "x29 ¹ / ₂ "	± 9 mm	Polished Silk	Polished Silk	Polished	Polished Silk		Polished					Polished Matte ^(S)
60x60 cm 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished Silk Matte ^(S)	Polished Silk Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished	Polished Matte ^(S)		Polished		Matte ^(S)	Polished Matte ^(S)
30x60 cm 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Silk	Silk	Polished Matte ^(S) Textured	Polished Matte ^(S)		Polished Matte ^(S) Textured					Polished Matte ^(S)



Outdoor

60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm									Grip ^(S)	Grip ^(S)	
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm									Outdoor ^(S)		



Wall

50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Silk	Silk	Shiny			Shiny					
40x80 cm 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Shiny	Shiny	Shiny			Shiny					Shiny
30,5x91,5 cm 12"x36"	± 8,5 mm			Shiny			Shiny					Shiny
30,5x56 cm 12"x22"	± 8,5 mm											Shiny
8x31,5 cm 3 ¹ / ₈ "x12 ¹ / ₂ "	± 8,5 mm			Shiny								



Countertops



Furniture

162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ " > Non rectified	± 6 mm	Silk *										
	± 12 mm	Polished * Satin Silk *	Polished * Satin * Silk *						Polished * Silk *			
160x320 cm 63"x126" > Non rectified												
159x324 cm 62 ⁵ / ₈ "x127 ¹ / ₂ " > Non rectified	± 20 mm	Polished ■ Matte ■	Polished ■ Matte ■									

Beige & Brown

RANGE SUMMARY (1) (5)

Cream Prestige		Onyx Alabaster		Sand Vein Cut		Sand Cross Cut		Pearl Vein Cut		Pearl Cross Cut	
 Floor & Wall	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished ⁽²⁾	Matte				Matte			
	120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished	Matte ^(S)				Matte ^(S)			
 Furniture	120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished			Matte ^(S)				Matte ^(S)	
	60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished	Matte ^(S)		Matte ^(S)		Matte ^(S)		Matte ^(S)	
 Outdoor	75x150 cm 29 ¹ / ₂ "x59"	± 9 mm	Polished								
	75x75 cm 29 ¹ / ₂ "x29 ¹ / ₂ "	± 9 mm	Polished								
 Wall	60x60 cm 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte ^(S)	Polished			Matte ^(S)			Matte ^(S)	
	30x60 cm 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte ^(S)								
 Countertops	60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm			Grip ^(S)		Grip ^(S)		Grip ^(S)		Grip ^(S)
	60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm			Outdoor ^(S)				Outdoor ^(S)		
 Furniture	50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Shiny								
	40x80 cm 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Shiny								
	30,5x91,5 cm 12"x36"	± 8,5 mm									
	30,5x56 cm 12"x22"	± 8,5 mm									
	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "	± 6 mm			Matte ^(S)						
	> Non rectified	± 12 mm	Silk		Matte ^(S)			Matte ^(S)			

Grey & Black

RANGE SUMMARY ⁽¹⁾ ⁽⁵⁾

 Floor & Wall		 Furniture																				
120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm			Polished Matte	Polished ⁽⁴⁾ ⁽²⁾			Polished ⁽²⁾ Silk			Polished ⁽⁴⁾ ⁽²⁾	Polished ⁽²⁾ Silk			Polished Matte	Polished	Polished ⁽²⁾			Polished Matte	Polished ⁽²⁾	Polished ⁽⁴⁾ ⁽²⁾
120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm				Polished			Polished			Polished	Polished			Polished					Polished	Polished	Polished
160x160 cm 63"x63"	± 6 mm																					
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm			Polished Matte ^(S)	Polished Velvetch			Polished Silk			Polished Velvetch	Polished Silk			Polished Matte ^(S)		Polished			Polished Matte ^(S)	Polished	Polished Velvetch
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm			Polished Matte ^(S)	Polished Velvetch Matte ^(S)	Matte ^(S)		Polished Matte ^(S)	Matte ^(S)		Polished Velvetch Matte ^(S)	Polished Matte ^(S)			Polished Matte ^(S)		Polished			Polished Matte ^(S)	Polished	Polished Velvetch Matte ^(S)
75x150 cm 29 ¹ / ₂ "x59"	± 9 mm			Polished	Polished			Polished Silk			Polished	Polished Silk	Polished		Polished			Polished		Polished Matte ^(S)		Polished
75x75 cm 29 ¹ / ₂ "x29 ¹ / ₂ "	± 9 mm			Polished	Polished			Polished Silk			Polished	Polished Silk	Polished		Polished Matte ^(S)			Polished		Polished		Polished
37,5x75 cm 14 ³ / ₄ "x29 ¹ / ₂ "	± 9 mm																					
60x60 cm 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm			Polished Matte ^(S)	Polished Matte ^(S)			Polished Matte ^(S)			Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)				Polished Matte ^(S)	Polished Matte ^(S)		Polished	Polished Matte ^(S)
30x60 cm 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm			Polished Matte ^(S) Textured	Polished Matte ^(S)			Polished Matte ^(S)			Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)	Polished Matte ^(S)				Polished Matte ^(S)	Polished Matte ^(S)			Polished Matte ^(S)
 Outdoor																						
60x120 cm 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm								Outdoor ^(S)													
 Wall																						
50x120 cm 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm												Shiny					Shiny	Shiny			
40x80 cm 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Shiny		Shiny									Shiny					Shiny	Shiny			
30,5x91,5 cm 12"x36"	± 8,5 mm	Shiny		Shiny														Shiny				
30,5x56 cm 12"x22"	± 8,5 mm	Shiny																				
 Countertops  Furniture																						
162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ " > Non rectified	± 6 mm														Silk					Silk		
	± 12 mm							Polished * Silk *							Silk					Polished * Silk * Satin *		
	± 20 mm														Matte					Matte		

Precious

RANGE SUMMARY ⁽¹⁾ ⁽⁵⁾

	Floor & Wall		Furniture																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
---	--------------	---	-----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(1) The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

(2) The product is composed of four graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns. - Il prodotto è composto da quattro grafiche con continuità di vena, ma all'interno delle casse queste sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - Le produit est composé de graphismes avec les veinures en continuité, mais celles-ci sont distribuées en mode aléatoire à l'intérieur delle caisses, sans possibilité de choix entre les motifs disponibles. Das Produkt besteht aus Grafiken mit durchlaufender Aderung: diese sind jedoch in den Kisten nach dem Zufallsprinzip enthalten, ohne dass Sie zwischen den einzelnen Motiven wählen können. El producto se compone de gráficos con continuidad de vetas, pero en el interior de las cajas están distribuidos de forma aleatoria, sin que se pueda elegir el patrón disponible. Продукт состоит из рисунков с непрерывными прожилками, но они распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

(3) Minor misalignments in the continuity of the veins between different graphics is normal for this type of product. - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Aderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

(4) The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic - G1, G2, G3, etc - is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on. - Il Kit Endless contiene tutte le grafiche del prodotto con continuità di vena; garantisce in un'unica cassa tutte le facce numerate che creano la composizione. Il numero della grafica, indicato come G1, G2, G3, ecc. viene stampato sulla costa del lato 278 e indicato con un adesivo posto sulla lastra. Per ricostruire la superficie con continuità di vena è sufficiente posare le lastre in progressione numerica: G1, G2, G3, ecc. - Le Kit Endless contient tous les graphismes du produit avec la continuité des veinures; il garantit, dans une seule caisse, toutes les faces numérotées qui créent la composition. Le numéro du graphisme, indiqué comme G1, G2, G3, etc. est imprimé sur le bord du côté 278 et indiqué avec un adhésif apposé sur la dalle. Pour reconstruire la surface avec les veinures en continuité, il suffit de poser les dalles en progression numérique: G1, G2, G3, etc. - Kit Endless umfasst alle Grafiken des Produkts mit durchlaufender Aderung und damit alle nummerierten Oberflächen, aus denen sich die Komposition zusammensetzt, garantiert in einer einzigen Kiste. Die Nummer der Grafik, d.h. G1, G2, G3 etc., ist auf der Kante der 278 cm langen Seite aufgedruckt und auch mit einem Klebeetikett auf der Platte angegeben. Um das Gesamtbild mit durchlaufender Aderung zusammensetzen, werden die Platten einfach in numerischer Reihenfolge verlegt: G1, G2, G3 usw. - El Kit Endless contiene todas las caras del producto con continuidad de vetas, garantiza contar en una sola caja con todas las caras numeradas que forman la composición. El número del gráfico, indicado como G1, G2, G3, etc., está impreso en el borde del lado 278 y se indica mediante un adhesivo en la losa. Para reconstruir la superficie con continuidad de vetas, basta con colocar las losas en progresión numérica: G1, G2, G3, etc. - Kit Endless - это комплект, который содержит все плиты, необходимые для составления композиции с непрерывным рисунком прожилок. Все плиты пронумерованы и находятся в одном ящике. Номер плиты, обозначенный как G1, G2, G3 и т.д., напечатан на торце грани 278 и указан также на наклейке в углу плиты. Чтобы при облицовке создать рисунок с непрерывающимися прожилками, необходимо просто уложить плиты в последовательности: G1, G2, G3 и т.д.

(5) The Polished and Velvet finishes are suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. The glossy Polished finish offers a surprisingly bright, mirrored surface with slight irregularities typical of natural marbles. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. The Velvet surface replicates the effect of semi-Polished marble. It has a velvety touch and silky highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light. Le finiture Lappata e Velvet sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. La finitura Lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. La superficie Velvet replica l'effetto di un marmo levigato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percettibili in luce radente o riflessa. Les finitions Velvet et rodée conviennent aux sols résidentiels ou commerciaux peu sollicités, pour lesquels les performances antidérapantes ne sont pas requises. Si le produit est en contact direct avec l'extérieur, prévoir des dispositifs d'absorption de l'humidité et de la saleté pour éviter les rayures. La finition polie et rodée offre une surface étonnamment brillante et réfléchissante avec de légères irrégularités typiques du marbre naturel. La brillance et la facilité de nettoyage de la surface sont le résultat d'études approfondies et d'une recherche technique minutieuse visant à garantir sa persistance dans le temps. La surface Velvet reproduit l'effet du marbre poli. Elle se distingue par son toucher velouté et ses reflets semi-opaques. Le naturel de la surface est souligné par des zones d'opacité différente perceptibles en lumière rasante ou réfléchie. Die Oberflächenvarianten geläpft und Velvet eignen sich für Bodenbeläge in Wohn- und Gewerbeobjekten mit geringer Beanspruchung, soweit keine rutschhemmenden Eigenschaften erforderlich sind. Gerät das Produkt in direkten Kontakt mit dem Außenbereich, sind Feuchtigkeit und Schmutz aufneh-mende Vorrichtungen vorzusehen, um Kratzerbildung zu vermeiden. Das geläppte glänzende Ober-flächenfinish bietet einen beeindruckenden Spiegelglanz der Oberfläche, mit für Naturmarmor typ-ischen leichten Unregelmäßigkeiten. Der Glanz und die hohe Reinigungsfreundlichkeit der Oberfläche sind das Ergebnis eingehender Studien und gründlicher technischer Prüfungen mit der Zielsetzung, die Langlebigkeit dieser Eigenschaften zu gewährleisten. Die Oberfläche Velvet bildet die Optik von geschliffenem Marmor nach. Sie besticht durch ihre samtige Haptik und ihren halbmattn Schimmer. Die Natürlichkeit der Oberfläche wird durch Bereiche mit unterschiedlicher Transparenz hervorgehoben, die bei Streiflicht oder im Gegenlicht sichtbar werden. Los acabados pulido y velvet son adecuados para pavimentos residenciales o comerciales donde haya poca afluencia y no se necesiten prestaciones antideslizantes. Si el producto está en contacto directo con el exterior, se recomienda contar con dispositivos para absorber la humedad y la suciedad para evitar la formación de arañazos. El acabado pulido ofrece una superficie sorprendentemente brillante y reflectante con ligeras irregularidades típicas del mármol natural. El alto brillo y la facilidad de lim-pieza de la superficie son el resultado de profundos estudios y cuidadosas investigaciones técnicas destinadas a garantizar su duración a lo largo del tiempo. La superficie Velvet reproduce el efecto del mármol apomazado. Se distingue por su sensación aterciopelada al tacto y sus reflejos semoporcos. La naturalidad de la superficie se ve acentuada por zonas de opacidad variable perceptibles a la luz irradiada o reflejada. Лаппатированная поверхность и поверхность Velvet рекомендованы для полов жилых и коммерческих помещений с невысокой интенсивностью эксплуатации, в которых от покрытий не требуется характеристик сопротивления скольжению. Если плитка находится в непосредственном контакте с наружной средой, необходимо предусмотреть устройства поглощения влаги и грязи во избежание образования царапин. Лаппатированная поверхность имеет зеркально-блестящий вид с легкими неровностями, характерными для природного мрамора. Блеск и легкая осязаемость являются результатом глубоких исследований, направленных на создание долговечного материала. Поверхность Velvet передает эффект шлифованного мрамора. Отличается бархатистой фактурой с полуматовым блеском. Натуральный облик поверхности усилен наличием участков различной степени матовости, заметными в скользящем или отраженном свете.

MARVEL
PRO

MARVEL
GEMS

MARVEL
STONE

MARVEL
EDGE

MARVEL
DREAM

MARVEL
SHINE

MARVEL
TRAVERTINE

MARVEL
GALA

MARVEL
X

MARVEL
ONYX

MARVEL
MERA
VIGLIA



DOWNLOAD
MARVEL WORLD
CATALOGUE

MARVELWORLD

A world of emotions

Marvel World encompasses all the marble-look surfaces of Atlas Concorde in a single tool capable of offering ample creative potential: a complete stylistic project for inspiration, color range, and availability of formats and decors.

Marvel World racchiude tutte le superfici effetto marmo di Atlas Concorde in un unico strumento in grado di offrire ampie potenzialità creative: un progetto stilistico completo per ispirazione, ampiezza cromatica e disponibilità di formati e decori.

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. / Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. / Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. / Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. / Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. / Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. / I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. / Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. / Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. / Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. / Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. / Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. / Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. / Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. / Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. / Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Marvel World

THANKS TO

Lumen
center.
lumencenteritalia.com

C & C
MILANO
www.cec-milano.com

Lanificio
Leo
since 1873
www.lanificioleo.it

l'Opificio
1998 | TORINO | ITALIA
lopificio.it

MIHO
www.mihounexpectedshop.com

Vanilla Fly
vanillafly.dk

mason
editions
www.mason-editions.com

mdf italia
www.mdfitalia.com

INDEX

INSPIRATION

IMAGE
GALLERY

SURFACE
RANGE &
TECHNICAL
SPECS.

SAFE CHOICE

COLLECTION RANGE

MARVEL WORLD

TECHNICAL SPECIFICATIONS
& CERTIFICATIONS

ENJOY THE
VIDEO

105



Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group Bla
Compliant with standards ISO 13006 annex G group Bla
Conforme alla norma EN 14411 Appendice G gruppo Bla
Conforme alla norma ISO 13006 Appendice G gruppo Bla

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63"x126"
120x278 cm - 47 1/8"x109 1/2"
120x240 cm - 47 1/8"x94 1/2"
120x120 cm - 47 1/8"x47 1/8"
60x120 cm - 23 3/8"x47 1/8"
60x120 cm - 23 3/8"x47 1/8"
60x60 cm - 23 3/8"x23 3/8"

± 6 mm
± 6 mm
± 9 mm
± 9 mm
± 6 mm
± 9 mm
± 9 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles	
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Polished ± 9 mm	Polished ± 6 mm
 Length and width Lunghezza e larghezza Thickness Spessore Straightness of sides Rettilinearità degli spigoli Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	MM	(%)	(mm)		
		± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme
		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme
		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 1,5 (****) Non-rect. ± 0,8 (****) Rect.	Suitable for Conforme	Suitable for Conforme
 Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.		
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.		
 Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %
	ASTM C373-18	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %
 Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N
 Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
 Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-
 Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55
 Mohs hardness Durezza Mohs	EN 101	-			5	5
 Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³
 Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste
 Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
 Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste
 Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
 Reaction to fire Reazione al fuoco	-	Class A1 or A1_f Classe A1 oppure A1 _f			A1 - A1 _f	A1 - A1 _f
 Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	Minimum Class B Classe minima B			A	A
		Declared Class Classe dichiarata			LA	LA
		Declared Class Classe dichiarata			-	-
 Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5
 Shood Ramp Test Metodo della rampa "calzato" Barefoot Ramp Test Metodo della rampa a piedi nudi	EN 16165 ANNEX B (EX DIN 51150)	Declared value Valore dichiarato			N.C.	N.C.
	EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0
	BS 7976	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-
 (1)(2)	UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			-	-
	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuolo su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
	ANSI A 326.3	-			Dry DCOF ≥ 0,42	Dry DCOF ≥ 0,42

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilinearità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work size (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3) However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers guidelines and recommendations.*

Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications



Product certifications




Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

Product declarations



Certifications for export to international markets*



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

(*) Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2023
(*) Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32
(*) Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it





Ceramiche Atlas Concorde S.p.A.
Via Canaletto 141
41042 Spezzano di Fiorano (MO) – Italia

Atlas Concorde USA, Inc.
117 Seaboard Lane – Suite F170
Franklin, TN 37067 – USA

Atlas Concorde Russia
Business centre “Meliora Place”
Prospekt Mira 6
129090 Moscow – Russia

Atlas Concorde Middle East, Fz-Llc
Building 8 – Suite 106
D3 Dubai Design District
United Arab Emirates

atlasconcorde.com

Copyright 2023 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) – Italia)
September 2023